


01 / 07

Body / Panel Mounted

— 14 PRODUCTS IN THIS SECTION

— Tags = bands a product can be supplied for
not necessarily all operating in one unit · combination antennas available



BODY 1-2H

4G/LTE

DIMENSIONS 304mm H x Ø33mm

PEAK GAIN 4 dBi

CABLE None

PROTECTION IP66



BODY 1-4H

4G/LTE

DIMENSIONS 89mm H x Ø33mm

PEAK GAIN 2.14 dBi

CABLE None

PROTECTION IP66



BODY ADYNA

GNSS 4G/LTE WiFi

5G ISM 868/915

DIMENSIONS 17mm H x 75mm

PEAK GAIN 3.3 dBi

CABLE LL100 / RG174 / RG316

PROTECTION IP68



BODY ADYNA 5

4G/LTE WiFi

ISM 868/915

DIMENSIONS 5.17mm H x Ø30.6mm

PEAK GAIN 2.14 dBi

CABLE LL100 / RG174 / RG316

PROTECTION IP68



BODY ADYNA 5-40

4G/LTE WiFi

ISM 868/915

DIMENSIONS 5.17mm H x Ø30.6mm

PEAK GAIN 2.14 dBi

CABLE LL100 / RG174 / RG316

PROTECTION IP68



BODY ADYNA 56-8

4G/LTE WiFi

ISM 868/915

DIMENSIONS 8mm H x Ø56mm

PEAK GAIN 3.5 dBi

CABLE LL195 / RG58

PROTECTION IP68

BODY ADYNA J-81

GNSS 4G/LTE WiFi
 ISM 433MHz 5G



DIMENSIONS 14.6mm H x Ø81.2mm
 PEAK GAIN 2.14 dBi
 CABLE LL100 / RG174 / RG316
 PROTECTION IP68

BODY ADYNA MINI

GNSS 4G/LTE WiFi
 ISM 433MHz 5G



DIMENSIONS 16.3mm H x Ø46.6mm
 PEAK GAIN 2.14 dBi
 CABLE LL100 / RG174 / RG316
 PROTECTION IP68

BODY REM

GNSS 4G/LTE WiFi
 ISM 433MHz 5G
 ISM 868/915



DIMENSIONS 15mm H x 79mm L x 74mm W
 PEAK GAIN 2.14 dBi
 CABLE LL100 / RG174 / RG316
 PROTECTION IP67

CASCO MIMO

GNSS 4G/LTE WiFi
 ISM 433MHz 5G
 ISM 868/915



DIMENSIONS 53mm H x Ø110mm
 PEAK GAIN 3.0 dBi
 CABLE LL100 / RG174 / RG316
 PROTECTION IP67

CASCO


GNSS 4G/LTE WiFi
 ISM 433MHz 5G
 ISM 868/915



DIMENSIONS 35mm H x Ø68mm
 PEAK GAIN 2.14 dBi
 CABLE LL100 / RG174 / RG316
 PROTECTION IP67

FIN K5

GNSS 4G/LTE WiFi
 5G ISM 868/915



DIMENSIONS 62mm H x 84mm L x 53mm W
 PEAK GAIN 2.14 dBi
 CABLE LL100 / RG174
 PROTECTION IP67

PERNO



GNSS 4G/LTE

ISM 868/915

DIMENSIONS 48.1mm H x
Ø50mm

PEAK GAIN 4.3 dBi

CABLE LL100 / RG174

PROTECTION IP67

TREN



GNSS 4G/LTE

ISM 433MHz 5G

WiFi UHF VHF

ISM 868/915

DIMENSIONS 112mm H x
206.5mm L x
92.5mm W

PEAK GAIN 3 dBi

CABLE RG316

PROTECTION IP68