

05 / 07

Direct / Connector Mount

— 10 PRODUCTS IN THIS SECTION

— Tags = bands a product can be supplied for
not necessarily all operating in one unit · combination antennas available



DELGADO PAD-153

4G/LTE WiFi 5G

ISM 868/915

DIMENSIONS 153mm H x
 Ø13mm

PEAK GAIN 4.95 dBi

CABLE None

PROTECTION IP55



HELIX

GNSS

DIMENSIONS 48.6mm H x
 Ø16.2mm

AMPLIFICATION 28dB @ 3v /
 30dB @ 5v

CABLE None

PROTECTION IPXX



HPAL110

4G/LTE WiFi

ISM 868/915

DIMENSIONS 110mm H x
 Ø10.1mm

PEAK GAIN 2.3 dBi

CABLE None

PROTECTION IP55



HPAL207-5

4G/LTE WiFi

ISM 868/915

DIMENSIONS 207mm H x
 Ø13mm

PEAK GAIN 5 dBi

CABLE None

PROTECTION IP55



PALO

4G/LTE 5G WiFi

ISM 868/915

DIMENSIONS 67mm H x
 Ø7mm

PEAK GAIN 2.14 dBi

CABLE None

PROTECTION IP55



PALO RA

4G/LTE 5G WiFi

ISM 868/915

DIMENSIONS 67mm H x
 Ø7mm

PEAK GAIN 2.14 dBi

CABLE None

PROTECTION IP55



PALO 27

4G/LTE

DIMENSIONS 27mm H x Ø10mm

PEAK GAIN 0 dBi

CABLE None

PROTECTION IP55



PALO 70

4G/LTE 5G WiFi

ISM 868/915

DIMENSIONS 70mm H x Ø7.95mm

PEAK GAIN 2.14 dBi

CABLE None

PROTECTION IP55



PALO 78H

4G/LTE 5G WiFi

ISM 868/915

DIMENSIONS 78mm H x Ø9.35mm

PEAK GAIN 3.2 dBi

CABLE None

PROTECTION IP55



PALO BASE 1 2

ISM 868/915

DIMENSIONS 228mm H x Ø15mm

PEAK GAIN 3.6 dBi

CABLE LL100 / RG174 / RG178 / RG316

PROTECTION IP66